


SEFAR NYTAL®



Sifting Media

СРЕДСТВА

ФИЛЬТРАЦИИ

S E F A R







The fabric assortment

The whole assortment of SEFAR NYTAL® fabrics is composed of several groups. They distinguish themselves in respect of thread diameter, percentage of open area, raw material and fabric construction. Fabrics made of heavier yarns guarantee longer lifetime (PA-XXX/HD Heavy Quality). Fabrics made of lighter yarns offer a higher sifting efficiency (PA-XX Milling or Normal Quality). «PA-MF Milling Forte» was developed to find the happy medium of both characteristics, i.e. to achieve best possible durability combined with high efficiency. All the mentioned fabrics are available in a full range of mesh apertures which are listed in the respective technical data sheets.

Ассортимент ткани

Весь ассортимент ткани SEFAR NYTAL® делится на несколько групп. Они отличаются диаметром нитей, процентом открытой поверхности, используемым сырьем и структурой ткани. Ткани, изготовленные из более тяжёлых волокон, гарантируют долговечность (PA-XXX/HD Тяжёлая фильтрация). Ткани, изготовленные из более легких волокон, обеспечивают более высокий коэффициент фильтрации (PA- Нормальная фильтрация). PA-MF Миллинг фортэ был разработан с целью найти золотую середину, т.е. добиться наибольшего срока службы в сочетании с высокой



эффективностью. Все указанные ткани представлены широким ассортиментом ячеек разного размера, перечень которых указан в соответствующих технических листах по каждому типу ткани.

SEFAR NYTAL®

- 1 PA/PET-GG (Grit Gauze/Крупное сито)
- 2 PA-XXX/HD (Heavy Quality/Тяжёлая фильтрация)
- 3 PA-MF (Milling Forte/Миллинг фортэ)
- 4 PA- (Milling/Normal Quality/Нормальная фильтрация)

Food compatibility

The fabrics from the SEFAR NYTAL® range are made of yarns which contain only substances which are generally recognized as safe according to «FDA Code of Federal Regulations (USA), Food and Drugs, title 21, part 177.1500 for PA respectively 177.1630 for PET (indirect food additives: Polymers)» and «COMMISSION DIRECTIVE 2002/72/EC of August 6, 2002» relating to plastic materials and articles intended to come into contact with foodstuffs.

Соответствие продуктам питания

Ткани нашей линии SEFAR NYTAL® изготовлены из волокон, содержащих только вещества, признанные безопасными в соответствии с «Кодексом Федеральных правил администрации по контролю за питанием и медикаментами (США, «Питание и Медикаменты», раздел 21, часть 177.1500 для PA (полиамидов) и 177.1630 для PET (полиэстера), Косвенные пищевые добавки: Полимеры) и «ДИРЕКТИВОЙ КОМИССИИ 2002/72/ЕС – Европейского Союза» от 6 августа 2002 касательно синтетических материалов и предметов, которые могут вступать в контакт с продуктами питания.

PA 6 and PA 66 have the tendency to a strong moisture absorption of up to 4%. This specific behavior and the characteristic to react to changes of temperature lead to changes in the fabric dimensions, which, according to our investigations, are in normal cases largely reversible.

For this reason PA 6 and PA 66 products, which are manufactured and made up within the global Sefar production network, are processed in a stable climatic environment.

All stated values are arithmetic means of samples (\bar{X}).

In accordance with Sefar's policy of continuous product improvement, specifications and other information in this publication are subject to change without notice. The user is responsible for determining fitness, merchantability and suitability of purpose before use.

Quality System ISO 9001

РА 6 и РА 66 (Полиамид 6 и Полиамид 66) имеют тенденцию сильно впитывать влагу – до 4%. Это особенное свойство и способность реагировать на изменения температуры приводят к изменениям параметров ткани, которые однако, в соответствии с нашими исследованиями в нормальных условиях являются обратимыми. По этой причине ткани из РА 6 и РА 66 производятся в стабильных климатических условиях.

Все указанные данные являются выборочными средними значениями (\bar{X}).

В соответствии с политикой «Зефар» постоянного совершенствования продукции, спецификации и другая информация в данной публикации может быть изменена. Перед применением ткани пользователь должен убедиться в её соответствии целям эксплуатации.

Система качества ISO 9001

**Sefar Headquarter
Sefar AG**

Filtration Division
P.O. Box
CH-9410 Heiden
Switzerland
Phone +41 71 898 57 00
Fax +41 71 898 57 21
E-mail filtration@sefar.com

Sefar Filtration Inc.

Kansas City
4221 NE 34th Street
Kansas City, MO 64117
Phone +1 800 283 8182
Fax +1 816 452 2183
E-mail kcfiltration@sefar.us

Sefar Singapore Pte Ltd.

371 Beach Road
KeyPoint, #21-01/02/03
Singapore 199597
Phone +65 6 299 90 92
Fax +65 6 299 63 59
E-mail info@sefar-singapore.com.sg

www.sefar.com