

# Aerospace industry filters

Sefar has a comprehensive range of fabrics for use in the aerospace industry for ground and service applications, such as dewatering fuel, hydraulic and pneumatic filter systems and sound attenuation.









# **Product Features**

# Sound attenuation

- Unique synthetic fabrics based on PEEK materials
- Defined acoustic impedance (Rayl)
- Highly precise and uniform mesh openings using finest yarns
- Highly temperature-resistant, and excellent chemical resistance

### **DOWNLOADS**

Customer Info: Aerospace Industry (PDF 343 kb)

### Separation of water from kerosene (coalescing)

- Highly precise and safe filter fabrics with a large range of mesh openings
- Choice of fabric designs that provide the best possible flow-through rates
- Hydrophobic surface coatings
- Good temperature and chemical resistances
- Available in SEFAR NITEX (PA), SEFAR PETEX (PET) and SEFAR PEEKTEX (PEEK)
- Testing equipment complies with ISO 16332



Hydraulic and pneumatic filter systems
■ Highly precise and secure filter fabrics with a large range of mesh openings
Excellent thermal and chemical resistance
■ Best possible flow-through rates
■ Available in SEFAR NITEX (PA), SEFAR PETEX (PET) and SEFAR PEEKTEX
(PEEK)
■ Best processability
Your Benefits  Sound attenuation
Sound attenuation
Substantial weight reduction, corrosion-free material combinations
(PEEK high performance polymer)
■ Fabrics with defined Rayl values (state-of-the-art Rayl testing equipment;
Raylometer)
Sefar expertise (well-established partnership in the aerospace industry for over 30
years)
Kerosene coalescing



- Maximized seam strength of hydrophobic materials (ultrasonic welding equipment)
- Improved coalescing effect (various coatings and systems)
- High durability and long lifetime (stainless steel)
- Significant weight reduction potential by using high performance polymeric fiber (PET, PEEK, PTFE, PFA, FEP)
- Less installation space (high flow rates)

### Hydraulic and pneumatic filter systems

- Withstands harsh conditions caused by high pressure, temperature,
   shock and aggressive fluids (stainless steel and high performance synthetics)
- High protection of hydraulic, fuel, lubrication oil and air systems from contaminants (precision mesh opening)
- Longer lifetime (reusable and cleanable)

Please call us for further information. We will also gladly send you fabric samples!

### Locations



### Sefar AG

Töberstrasse 4 9425 Thal – Switzerland Phone: +41 71 898 5700 Fax: +41 71 886 3504

E-Mail





# Sefar AG

Hinterbissaustrasse 12 Phone: +41 71 898 5700 Fax: +41 71 898 5721

E-Mail