

# Appliance and industrial filters

In the appliance segment, Sefar offers a comprehensive range of filters for daily household use. In doing so, Sefar relies on a large number of its own polymer fabrics, whose advantages include high durability, precise mesh openings and the widest range of weaves available.









#### **Product Features**

Sefar Precision Fabrics provide the highest quality and most durable solutions in millions of filtration systems. In addition, Sefar understands the competitive environment of the appliance industry and is able to offer fabrics that have been subjected to extensive test procedures and specifically designed to fulfill the needs of the customer.









Brochure: Appliance Industry (PDF 5096 kb)















.....

# **Beverage filter**




Sefar offers fabric solutions for a variety of household systems for filtering drinking water, coffee or tea. All of these durable filters are made from Sefar polyamide, polyester and polypropylene fabrics.

Dishwasher filter / Washing machine filter



The Sefar fabrics in washing machines protect the pump from food-scraps and other particles. This extends the life of the washing machines while also contributing to its consistent performance. Our fabrics with customized pore sizes are the ideal solution for all dishwashers and other types of washing machines.

**Air conditioners** 



In air conditioning systems, Sefar fabrics are used for various applications. Among other things, they protect the system from dust; but they can also be adapted to have the ability to remove viruses, bacteria and fungal spores in the air.

#### Vacuum cleaners



Sefar polymer fabrics are installed in vacuum cleaners to protect the air pump from dust and other small particles. In addition, our fabric filters particles from the outgoing air. Pleated Sefar fabric is particularly effective in this application due to its large filter surface. It is also used in air purifier filters.

# **Hair dryers**



In hair dryers, a removable and washable filter made of Sefar fabric protects the drive. Sefar manufactures a range of fabrics with various pore sizes that are precisely suited to the customer's requirements.



Clothes dryers



Filters / lint screens made of Sefar fabric prevent lint from building up and hindering the flow of hot air, thus ensuring that the devices maintain a constant performance. For particularly high temperatures, the Sefar PEEK fabric is used.

Water and pool filters



In the water pumps used in swimming pools and ponds, as well as in other pool cleaning systems, Sefar fabrics can be supplied for many customerspecific applications. Special coatings can be applied that enable dirt, viruses, bacteria, fungal spores and allergic substances to be filtered out of the water.

Phone +41 71 898 5700 Fax +41 71 898 5721



#### **Air filters**



Sefar fabrics can be used to filter the cooling air for drives on chainsaws and other applications in and around the house. Specially treated fabrics have, for example, hydrophobic properties that ensure their suitability for use in all weather conditions.

#### **Spray bottles**



In the spray head of the containers of many cleaning agents, Sefar fabrics are used to atomize the cleaning spray or foam. The different weaves and chemical properties of the fabric can be customized according to the customer's specifications.

#### **Industrial and appliance filters**

- High dimensional stability and tensile strength
- Constant fabric stiffness and thickness
- Repeatable pore size and filtration performance



■ Smooth su	ırface
Low press	ure drop and high flow rate
Versatility	in surface properties and systems
■ Large cho	ice of materials, dimensions and weaving patterns
Good filtra	tion efficiency
Inherent mat	terial properties
_ 0	
Good fatig	ue properties compared to metal mesh
Easy to ha	andle and no sharp edges
■ High stren	gth and tear resistance
■ Non-shedd	ding properties
■ No corrosi	on
Chemical	and thermal stability
Your Benef	its
Exact and	repeatable screening properties (high precision mesh opening)
■ Easy for m	nolding (defined and constant mesh parameters)
High flow	rates (low pressure drop, maximized open area by use of fiber down to
24 µm)	
Adjustable	hydrophobic levels, ranging from 100 to 135 degree contact angle
(surface m	nodification)
Maximum	technical range (materials, diameters and weaving patterns)



- Longer lifetime (efficient removal of particles and debris)
- Cleanliness (smooth surface)
- Good replacement/substitute for metal filters (thermal and chemical resistance)
- Variety of conversion configurations

Please call us for further information. We will also gladly send you fabric samples! Further details can also be found in the brochure 'Appliance industry' under Downloads.

#### Locations



## Sefar AG

Töberstrasse 4 9425 Thal – Switzerland Phone: +41 71 898 5700 Fax: +41 71 886 3504

E-Mail



### Sefar AG

Hinterbissaustrasse 12 9410 Heiden Switzerland

Phone: +41 71 898 5700 Fax: +41 71 898 5721

E-Mail