



Pleated Elements

Our pleated elements are used in a variety of applications or products, such as: cardio reservoirs, oxygenators, arterial filters, appliance and industrial filters, automotive filters.



Product Features

Pleated elements

Pleated elements significantly increase the filtration area in a given construction space.

Pleated elements are ribbons which have been pleated together, and then cut to a defined number of pleats. Endless pleated elements are possible with a suitable connection.


The individual fabric layers are simultaneously cut and welded together on their longitudinal side during the ultrasonic slitting.

The cutting to a defined number of pleats is done ultrasonically or by other suitable cutting technologies.

DOWNLOADS

Customer Information: Pleated elements
(PDF 519 kb)

Product forms



- Up to 5 layers (non-woven depth filter, woven surface filter) are possible
- Various filter media and filter materials can be combined (synthetics, steel, glass)
- Pleat width ranges from 25 to 1200 mm; 25 – 590 mm for endless pleating elements
- Pleat height ranges from 6 mm (one layer) or 8

Sefar AG

Headquarters
Hinterbissastrasse 12
9410 Heiden
Switzerland

Phone +41 71 898 5700
Fax +41 71 898 5721

info@sefar.com

[Go to content](#)

- mm
 (multi-layer) to 50 mm
- Pleat counts are unlimited
- The position of the individual fabric layers, the specification of the filter side and also the number of pleats are all very important and therefore have to be defined precisely.

Packaging and labeling



- Pleated elements can be packed into PE bags that are welded shut
- Endless pleated elements up to a maximal diameter of 50 mm and a maximal height of 60 mm can be packed in blisters (bigger products in PE bags)
- Pleated elements made of SEFAR MEDIFAB fabrics are double bagged
- The label contains the following information:
 - Manufacturer
 - Material
 - Dimensions (diameter in mm, length in

Sefar AG

Headquarters
 Hinterbissastrasse 12
 9410 Heiden
 Switzerland

Phone +41 71 898 5700
 Fax +41 71 898 5721

info@sefar.com

[Go to content](#)

meter)

- Manufacturing date
- Order number
- Roll number
- Number of pieces per bag

(except endless pleated elements)

Your Benefits

- Can be used for medical applications (SEFAR MEDIFAB)
- Wide scope of dimensions
- The customer can send his free choice of filter materials
- Optimal utilization of construction space
- Traceability (label)
- Easy handling (blister package)
- Easy disposal (combustible materials)

For industry/application specific use please see links below:



➤ **Automotive**



➤ **Industrial & Appliance**



➤ **Perfusion Filters**

For further information and fabric samples, please select the preferred contact option on the right.

Sefar AG

Headquarters
 Hinterbissastrasse 12
 9410 Heiden
 Switzerland

Phone +41 71 898 5700
 Fax +41 71 898 5721

info@sefar.com

[Go to content](#)